

## RM601-3

### Digital Torque Wrenches



- Audible torque confirmation using a buzzer, LED flashing & vibration function
- Standard functions: torque setting, measurement setting, mode setting
- Operation in both clockwise and counter-clockwise directions
- LCD display shows kg-cm, N-m, in-lb, ft-lb, 0.1° measurements
- Easy to set peak or trace modes
- Anti-slip soft grip



### TECHNICAL SPECIFICATIONS

Drive	3/8" Square
Voltage	6 Vdc
Head Type	Quick Release Ratchet
Length	315 mm
Accuracy	CW: ± 1.5%    CCW: ±2.5%
Accuracy Angle	+/-2°
Operating Range	50 Nm
Memory Capacity	30 data sheets
Setting Range	5 - 50 Nm
LED	2 LED (Green and Red)
Vibration Warning	Yes (While reaching to 90% of setting value)
Resolution	1 kg-cm / 0.1 Nm / 1 in-lb / 0.1 ft-lb / 1°
Operation Mode	Peak (K) / Trace (F) / Angle (A)
Power Saving Mode	After 60 Seconds of no use
Operating Temperature	-0°C ~ 50°C
Storage Temperature	-10°C ~ 60°C
Battery	AA (Alkaline) Battery x4
Weight (w/o battery)	0.64 kg

### TECHNOLOGIES



Utilizing the next generation of electrical technology, we can detect the angle of the head to calculate how many turns the anvil has rotated. For Digital Torque products this is accurate to 1%.

## TOOL FEATURES



The LED flashing feature on this power tool signals important alerts and warnings, enhancing safety and efficiency during operation.



Our buzzer serves as an audible alert to notify the user of specific conditions or errors during operation, enhancing safety and efficiency.



Required AA Batteries